

- Unit Types:**
- 2 Bedroom 1.5 Bathroom model shown on unit #2
 - 2 Bedroom 2.5 Bathroom model shown on unit #6
 - 2 Bedroom plus Study with 2.5 Bathroom model shown on unit #10

WOOD ROOF TRUSS DESIGN


NOTES:

1. ALL TRUSS MEMBERS TO BE DESIGNED IN CONFORMANCE WITH THE 2009 IBC AND AS PER THE 2009 IBC CHAPTER 12 SECTION 1202.2.1 AND 1202.2.2. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND SPEED OF 115 MPH (50 M/S) AND A DESIGN WIND DIRECTION OF 90 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 45 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 135 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 225 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 315 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 0 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 45 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 135 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 225 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 315 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 0 DEGREES TO THE TRUSS CHORDS.

WOOD ROOF TRUSS DESIGN

NOTES:

1. ALL TRUSS MEMBERS TO BE DESIGNED IN CONFORMANCE WITH THE 2009 IBC AND AS PER THE 2009 IBC CHAPTER 12 SECTION 1202.2.1 AND 1202.2.2. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND SPEED OF 115 MPH (50 M/S) AND A DESIGN WIND DIRECTION OF 90 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 45 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 135 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 225 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 315 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 0 DEGREES TO THE TRUSS CHORDS.



WOOD ROOF TRUSS DESIGN

NOTES:

1. ALL TRUSS MEMBERS TO BE DESIGNED IN CONFORMANCE WITH THE 2009 IBC AND AS PER THE 2009 IBC CHAPTER 12 SECTION 1202.2.1 AND 1202.2.2. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND SPEED OF 115 MPH (50 M/S) AND A DESIGN WIND DIRECTION OF 90 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 45 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 135 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 225 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 315 DEGREES TO THE TRUSS CHORDS. ALL TRUSS MEMBERS TO BE DESIGNED FOR A DESIGN WIND DIRECTION OF 0 DEGREES TO THE TRUSS CHORDS.

THIRD FLOOR PLAN
SCALE: 1/8" = 1'-0"

ISSUED FOR CONSTRUCTION: 10.13.16

3 UNIT BUILDING #3
(UNITS 88,10,6,12)



gary d. cannella
associates
architects - planners
55 knickerbocker avenue belleville, n.y. 11716
phone: (531) 563-5100 fax: (531) 563-5102

THE HEARTHSTONE
BARTONE & PELLERITO HOLDING, LLC
FULTON AVE. (RTE. 109), FARMINGDALE, N.Y.

3 UNIT BUILDING
SECOND FLOOR PLAN
revisions:

date: 10-16-16
proj. #: 14.77

drawn by: MS
checked by: DK

sheet no.
A-4
of